







LEPCOS (North-West Laboratory)

http://ferrite.ru Tel/fax +7-812-369-11-54


REVISIONS

REV	SYM	DRAFTER	CHECKER	DATE
1		YAN.TANG	G.F.YANG	11/04/09
2		YAN.TANG	G.F.YANG	11/10/09
3				



DWG NO. H13X10-8P-TH-3.75-E-11

PART NO.	MATERIAL (BOBBIN)	MATERIAL (TERMINAL)	TERMINAL (PLATING)	PIN ALLOCATION	NOTE
TBI-218-14051.1106	PM-9630	CP WIRE	Sn	ALL PIN	
TBI-218-14051.1116	PM-9630	CP WIRE	Sn	CUT PIN #3,6	



TOLERANCE: $0 < L \leq 4: \pm 0.1$ $4 < L \leq 16: \pm 0.2$ $16 < L \leq 63: \pm 0.3$

UNIT : m / m

SCALE 3 : 1

Finish: 1. PB wire Immersion Sn on terminal : Thickness: Sn plating, 100, 5 μ m (200 μ inches) min, Base nickel 1-2 μ m (40-80 μ inches) min.

2. CP wire Immersion Sn on terminal : Thickness: Sn plating, 100, 5 μ m (200 μ inches) min.

3. Coplanarity deviation: 0.10 mm (0.004 inches) max.

REV

2