



Client:	MAGNETEC	Magnetec P/N:	M-606	Magnetec A/N:	12599
Client's P/N:	/	PS Index:	01	PS Revision:	02
Subject:	EMC Wandler			Type:	

1. Mechanical Outline

Nominal core dimensions:

16 x 11 x 5


Finished product dimensions:

OD \leq 18,4

ID \geq 8,6

H \leq 7,0

[dimensions] = mm



2. Core data (nominal values)

Core material:	NANOPERM®	$L_{Fe} = 4,14$ cm	$A_{Fe} = 0,1$ cm ²
Permeability level:	ca. 90 000	@ frequency 10 kHz	@ H peak 3,4 mA/cm

3. Inspection values

	Measured value	Measurement limits	Frequency	leff x N [mA x turn]
AL [μ H]		18,4 - 36,8	10 kHz	10
AL [μ H]		4,6 - NA	100 kHz	10

4. Core finishing

Type:	Cased
Marking:	MAGNETEC M-606-01 YM (YM = Year/Month), acc. to IEC 60062 6.1.1
Packaging:	110 pcs. per layer; 9 layers per carton box ; PU = 990 pcs.

5. Comments :



Index / Revision	Alteration	Date
01 / 01	Product Specification	21.02.2012
01 / 02	100kHz lower limit defined	25.11.2014

Created:	Z. Palánki	Approved (Techn):	F. Záborszky	Approved (Quality):	J. Gulyás	Released:	T. Trupp
	25.11.2014		28.01.2015		28.01.2015		28.01.2015